

1.60 (MR-95) UV++SP CB Layer Coat SF Photochromic Single Vision (Grey) 75MM

Monomer Information:

Material MR-95
Refractive Index (25°C) 1.594
UV Cut Off 414
Abbe Value 42
Specific Gravity (20°C) 1.3

Diameter (mm)	Nominal Curve	True curve	Radius of Curvature	SAG 40 (mm)	SAG 50 (mm)	Back Curve	C.T. (mm)	E.T. (mm)
		1.53						
75mm	0.00	0.00	26500.00	0.01	0.01	6.50	6.00	15.00
75mm	2.00	1.97	269.04	0.74	1.16	6.50	8.70	15.00
75mm	4.00	3.98	133.17	1.51	2.37	6.50	9.20	13.00
75mm	6.00	6.00	88.33	2.26	3.61	5.70	8.00	7.50
75mm	8.00	8.04	65.92	3.03	4.92	5.70	11.10	7.50
75mm	10.00	10.03	52.84	3.80	6.29	5.70	14.60	7.50