

1.67 (MR-7) SP CB Layer Coat SF Photochromic Single Vision (Grey/Brown) 75MM

Monomer Information:

Material	MR-7
Refractive Index (25°C)	1.665
UV Cut Off	400/410
Abbe Value	32
Specific Gravity (20°C)	1.35

Diameter (mm)	Nominal Curve	True curve		Radius of Curvature	SAG 40 (mm)	SAG 50 (mm)	Back Curve	C.T. (mm)	E.T. (mm)
		1.67	1.53						
75mm	0.50	0.48	0.38	1391.07	0.14	0.22	9.40	6.00	16.30
75mm	1.00	1.59	1.26	419.63	0.47	0.74	8.00	7.00	14.30
75mm	2.00	2.29	1.81	292.33	0.68	1.07	6.60	7.00	11.90
75mm	3.00	3.57	2.83	187.28	1.07	1.67	5.20	7.00	8.90
75mm	4.00	4.15	3.29	161.09	1.24	1.95	5.20	7.00	8.30
75mm	5.00	4.81	3.80	139.44	1.44	2.25	5.20	7.50	8.10
75mm	6.00	6.07	4.80	110.32	1.82	2.87	6.60	7.50	8.30
75mm	7.00	7.33	5.80	91.35	2.17	3.48	6.60	7.80	7.00
75mm	8.00	8.33	6.59	80.42	2.48	3.98	6.60	9.00	7.00
70mm	9.00	9.61	7.60	69.74	2.86	4.63	8.00	8.70	7.00
70mm	10.00	10.73	8.49	62.46	3.20	5.22	8.00	10.00	7.00